

How much freedom would you like to enjoy? The BMW 3 Series touring.



M[®]ZV 3940



Just one thing is even more important than our designers' dreams: your wishes.

1

M ZV 3940

.

1-1



So you're always looking for something special. In that case take a look into the engine compartment.



A BMW is impressive outside. And perfect inside.





□ BMW Professional: 4 x 20 W power output, 2-tuner frequency diversity (2 tuners constantly search for the best reception and switch inaudibly to the best frequency), integrated CD drive, automatic CD insert/eject, connection for BMW CD changer.



holders) combines with the standard partition net and cover blind to provide a multifunctional storage space.



■ Luggage compartment cover incl partition □ BMW Light-alloy V-spoke 72M wheels: net: With all-round textile lining, the luggage Size: 8 J x 18-inch, at the front, 8.5 J x 18-inch compartment (incl 4 lashing points and 2 cargo at the rear. Mixed tyres: 225/40 R 18 at the front. 255/35 R 18 at the rear.



BMW light-alloy wheels in star-spoke styling 96, 8 J x 17", 225/45 R 17 tyres.



□ Multifunction buttons for steering wheel: Allowing you easy and rapid access to cruise control, □ Navigation system: The navigation system radio and telephone - without taking your hands off the steering wheel.





Ski-bag for transporting up to four pairs of skis safely and without making anything dirty, even with up to four people in your BMW. Whenever the ski-bag is not required, it stows away conveniently and out-of-sight behind the centre armrest.



design of the car as the foundation for BMW's ing out or putting in odds and ends. multifunctional roof rack unit. Simply ideal for taking along big pieces of luggage, bicycles, surfboards, etc safely and without the slightest hassle.



□ Roof railing harmoniously matched to the ■ Rear window opening separately for rapidly tak-



 M sports package II: An equipment package that provides almost infinite scope to meet the visual and technological needs for you to enhance the sporting appearance of your BMW 3 Series touring. Includes among other things a special front air dam and rear apron, light-alloy double-spoke 68M wheels, sports seats with Alcantara cloth cover, Alu Black Cube interior trim and the M leather steering wheel.

Safety	316i	318i	320i	325i	330i	318d	320d	330d
Airbags:								
 Driver and front passenger airbags, seat occupancy detector for front passenger airbag 	-	-	•	-	-	-	-	-
- ITS head airbags for driver and front passenger	•	•	•	•	•	•	•	•
- Side airbags for driver and front passenger	•	•	•	•		-	•	
- Side airbags for rear-seat passengers								
Alarm system with remote control								
Anti-lock brake system (ABS)	-	•	•					
Bi-xenon headlights incl dynamic headlight range control								
Brakes:								
- Disc brakes, front, inner-vented	•	•	•	•	•			
- Disc brakes, rear, inner-vented	•	•	•	•	•	-	•	•
Brake light, third, extra-wide	•		•	•	•	•	•	•
Centre lock switch	•	•	•	-	•	-	•	•
Central locking with electronic immobiliser, crash sensor, fuel tank filler flap integrated in central locking	•	•		•	•	•	•	-
Child seat fastening ISOFIX	•	•	•	•	•	-	•	•
Cornering Brake Control (CBC)		•			•		•	
Dynamic Stability Control (DSC) incl traction mode and DBC								
Foglamps				•	•			-
Headlight washing system								
Park Distance Control (PDC) at the rear								
Parking protection all round by wrap-around plastic bumpers and side rubbing strips	-	•	•	-	-	-	-	-
Power steering with crash-optimised safety steering column	•	•	•	•	•		•	
Rain sensor incl automatic headlight activator								
Safety battery terminal	-	-	•	•	•		•	
Safety bodyshell:								
 Deformation zones front and rear, aluminium door reinforcement, bumpers regenerating to their original shape at up to 4 km/h 	•	•	•	-	•	•	•	•
Seat belts:								
 Ergonomic belt system at the rear with three-point belts on all seats 			•	-	•			-
 Inertia-reel seat belts at the front with pyrotechnical belt latch tensioner, belt force limiter and belt restrainer 	-				•	-		
- Manual belt height adjustment on B-pillar		•			•	•	•	-
Side impact protection, integrated, incl roof crossbar			•	•		•	•	
Tyre Pressure Control								

Engine	316i	318i	320i	325i	330i	318d	320d	330d
4-cylinder in-line diesel engine, turbocharger with variable turbine geometry	-	-	-	-	-	-	-	-
4-cylinder in-line diesel engine with common rail technology	-	-	-	-	-	-	•	-
4-cylinder in-line petrol engine with 4-valve technology	•		-	-	-	-	-	-
6-cylinder in-line petrol engine with 4-valve technology	-	-	•		•	-	-	-
6-cylinder in-line diesel engine with common rail technology	-	-	-	-	-	-	-	
Balance shafts	•	-	-	-	-	-	•	-
Cylinder-specific knock control	•	-	•	-	•	-	-	-
Digital Diesel Electronics (DDE)	-	-	-	-	-	•	•	•
Digital Motor Electronics (DME)	•		•			-	-	-
Distributor, solid-state	•	-				-	-	-
Double-VANOS		-		-		-	-	-
Emission standard: EU3	-	-	-	-	-			
Emission standard: EU3/D4	-	-				-	-	-
Emission standard: EU4		-	-	-	-	-	-	-
Encapsulation of engine compartment	-	-	-	-	-		-	
Fuel filter, heated	-	-	-	-	-		•	
Individual control intake manifold (ICIM)			-	-	-	-	-	-
Intercooler	-	-	-	-	-		•	
Light-alloy cylinder head								
On-board diagnosis		-		-		-	•	
Oxidation catalyst	-	-	-	-	-			
Three-way catalytic converter, heated oxygen sensor, activated carbon filter, controlled tank purge	-	-	•	-	•	-	-	-
VALVETRONIC			-	-	-	-	-	_
Valve play compensation, hydraulic	•	•	•	•	•	•	•	-
Transmission/suspension	316i	318i	320i	325i	330i	318d	320d	330
5-speed manual gearbox								
All-wheel drive	-	-	-			-	-	
Anti-roll bars front and rear								
Automatic transmission:								
 - 5-speed EH automatic with Shiftlock/Interlock and adaptive transmission management, Steptronic 						-		
Central arm rear axle with anti-squat and anti-dive		-						
Single-joint spring-strut front axle with anti-dive								
Sports suspension								
Two-mass flywheel (manual gearbox models only)							_	

Interior features	316i	318i	320i	325i	330i	318d	320d	330d
Air conditioning (incl microfilter)			•					
Analogue-face instruments with illumination from behind								
Armrests on the doors with integrated door closing handles		•	-					
Armrest at the front								
Armrest at the front, dropped	-	-	-	-		-	-	
Automatic air conditioning (incl AAR and solar sensor)								
Car/Key Memory	•	•	•	•	•	-	•	-
Cartelephone, GSM, cordless, incl group aerial								
Cartelephone, prepared for, incl group aerial								
Centre armrest at the rear with storage box and two cupholders		•		•	•	-	•	-
Check/Control								
Climate comfort windscreen								
Compact spare wheel in luggage compartment beneath floor								-
Complete preparation for mobile phone (Motorola V50)								
Courtesy lights								-
Courtesy lights with automatic function and soft on/off dimming		•		•	•	•	•	•
Courtesy lights package with footwell illumination at the front, switchable reading lights at the rear and illuminated vanity mirrors	-	-	•	•	•	-	-	•
Digital clock	•	•	•	•	•		•	-
Electrical system prepared for charge socket for torch in glove compartment	•	•	•	•	•	•	•	•
Follow-Me-Home function		•	-	•		•		-
Footmats in velour								
Glass sliding/vent roof, electric								
Glove compartment illuminated and lockable						-		
Headlight range control, electrical	•	•	-	•	•	-	•	-
Headrests at the front, adjustable for height and angle	•	•		•	•	-	•	-
Headrests at the rear (3), outer headrests manually adjustable for height	•	•	•	•	•	•	•	•
HiFi loudspeaker system								
HiFi loudspeaker system harman/kardon								
Illumination of centre console from above	•	•	•					-
Interior mirror with anti-dazzle function	-	•	-	•	•			-
Interior mirror with automatic anti-dazzle function	-	-				-	-	
Interior mirror with automatic anti-dazzle function incl interior lights package			-	-	-			-
Lashing points, four, and two cargo holders in luggage compartment								-
LIGHTS ON? warning								

Interior features	316i	318i	320i	325i	330i	318d	320d	3300
Luggage compartment cover incl partition net	•	-	•	-	•	-	•	•
Luggage compartment with all-round textile lining	•	•	•		•		•	
Luggage net on front-seat backrests	-	-		-	•	-	-	-
Lumbar support for driver and front passenger, electrically adjustable								
Navigation system* with16:9 on-board monitor								
No-smoker package	•	•		•	•	-	•	•
On-board computer					•			•
Outside temperature display				-	•			•
Power socket (12 V) in luggage compartment	•	•	•	-	•	-	•	-
Radio navigator* incl BMW Business radio, LC display integrated in radio control console								
Radios, range of								
Reading lights, switchable, at the rear						•		
Rev counter with Energy Control, fuel gauge, coolant thermometer, LC display for mileage and trip counter	•	•	•	•	•	•	•	-
Roof lining in Anthracite								
Seats/seat comfort:								
- Rear seat bench with asymmetric subdivision (2:1)						•		-
 Seat adjustment, electric, for driver and front passenger, with memory function on driver's seat and exterior mirrors 								
- Seat heating for driver and front passenger								
- Sports seats for driver and front passenger								
- Standard seats in Jacquard cloth, manual seat adjustment incl seat height adjustment for driver and front passenger		•			•		-	•
Service Interval Indicator showing remaining mileage in display								-
Ski-bag								
Smoker package at no extra cost								
Steering wheels:								
- Four-spoke standard steering wheel					-			-
- Leather steering wheel, four-spoke, incl shift lever knob/selector lever handle in leather					•			•
Leather sports steering wheel, three-spoke, incl shift lever knob/ selector lever handle in leather, steering wheel bracket matching the interior trim								
Multifunction steering wheel for cruise control and remote control of radio/telephone								
Storage package								
Storage space in multifunction consoles, front and rear, storage compartment and front doors; extra storage space with no-smoker package	•	-	•	-	•	-	-	-

*Navigation system not available in all countries.

Interior features	316i	318i	320i	325i	330i	318d	320d	330d
Toolkit beneath luggage compartment floor			•		•			•
TV function on navigation system								
Twin-tone horn	•	•	•		•			•
Upholstery:								
- Bianco Nero design								
- Cloth, Jacquard	•	•		•	•	•	•	•
– Cloth, Tex 2000								
- Exclusive nappa leather								
– GranTurismo design								
- Maglia design								
- Montana leather								
Vanity mirrors with slide cover for driver and front passenger	•		•		•	-		
Velour carpeting, driver foot support integrated in side panel	-	•		•			•	
Voice control								
Warning triangle and first-aid kit beneath the luggage compartment floor	-	•	•	•	•	•	•	•
Window lifts at the front, electric, with open-close fingertip control, trap release and comfort closing function	•	•	-	-	•	-	•	-
Window lifts at the rear, electric, with open-close fingertip control, trap release and comfort closing function					•			

Exterior features	316i	318i	320i	325i	330i	318d	320d	330d
Bumpers and exterior mirrors in body colour	•	-		-	•	•	•	-
Door cutouts in plastic	•	•	-	-	-	-		-
Door cutouts with chrome inserts	-	-	•	-	•	-	-	-
Engine compartment and luggage compartment lids supported by gas pressure springs	•	•	•	•	•	-	•	-
Exterior mirrors, aspheric, blue-tinted, electrically adjustable	•	-	-	-	-		-	-
Exterior mirrors, aspheric, blue-tinted, electrically adjustable, heated (incl heated screenwasher nozzles)	-	-	•	•	•	-	-	-
Exterior mirror package incl fold-in function, exterior mirrors and screenwasher nozzles heated								
Foglamp surrounds in titanium colour ¹	-	-	-	-	•	-	-	-
Headlight surrounds in titanium colour ¹	-	-	-	-	•	-	-	-
Heat-insulating glass all-round, green, with laminated windscreen	•	•	•	•	•		•	•
Metallic paintwork								
Model designation, dropped (no additional cost)								
M sports package II								
Ornamental front grille with vertical slats in titanium colour and chrome surround, air scoop in bumper in titanium colour	-	-	-	-	•	-	-	-
Protruding door handles, black		•	-	-	-	-	•	-
Protruding door handles in body colour			•	•	•			-
Rear window opening separately	•							•
Remote control, key with automatically recharging battery	•	•	•	•	•	•	•	-
Roof railing								
Rustproofing, all-round, with partial hot galvanisation, phosphating and cathodic dip bath, preservation of hollow cavities, underfloor protection	•	•	-	•	•	•	•	•
Screenwasher nozzles, heated	-	-				-	-	-
Sundim glass								
Trailer towing bar with removable ball head								
Wheel arches, front, with plastic inserts	•	•	•	-	•		•	-
Wheels:								
- BMW light-alloy wheels ellipsoid styling 46, 15-inch	•	-	-	-	-		-	-
- BMW light-alloy wheels double-spoke styling 53, 15-inch		-	-	-	-		-	-
- BMW light-alloy wheels ellipsoid styling 46, 16-inch	-				-	-		-
- BMW light-alloy wheels star-spoke styling 45, 16-inch					-			-
- BMW light-alloy wheels V-spoke styling 54, 16-inch					-			-
- BMW light-alloy wheels cross-spoke styling 42, 16-inch					-			-
- BMW light-alloy wheels star-spoke styling 43, 16-inch					-			-
- BMW light-alloy wheels star-spoke styling 96, 17-inch								
- BMW light-alloy wheels radial-spoke styling 73, 17-inch								
- BMW light-alloy wheels double-spoke styling 68M, 17-inch								
- BMW light-alloy wheels star-spoke styling 44, 17-inch								-
 BMW light-alloy wheels V-spoke styling 72M, 18-inch 								

¹Not in connection with sports package.

Method Method <										
Magnetispicisp </th <th>Weight</th> <th></th> <th>316i</th> <th>318i</th> <th>320i</th> <th>325i</th> <th>330i</th> <th>318d</th> <th>320d</th> <th>330d</th>	Weight		316i	318i	320i	325i	330i	318d	320d	330d
Permitted blad: bg 540 540 540 540 500 500 54 Permitted axie load, front/war bg 75 <	Unladen, EU ¹	kg	1465 [1480]	1470 [1485]	1505 [1540]	1535 [1570]	1575 [1610]	1555	1580 [1600]	1690 [1700]
Permitted base load, front/warind ind ind permitted base load, unbrakedind 	Max permissible	kg	1930 [1945]	1935 [1950]	1970 [2005]	2000 [2035]	2000 [2035]	1980	2005 [2025]	2155 [2165]
Permitted cal indicade is 75 75 75 75 75 75 75 75 Permitted raile role a, braiked, is 75 7	Permitted load ¹	kg	540	540	540	540	500	500	500	540
Permitted trailer load, unbraked? isp 670 680 720 720 720 720 720 Permitted trailer load, braked, max 128 gradents? isp 1200 (1400) 1600 1700 1800	Permitted axle load, front/rear	kg	875/1100	875/1100	900/1130	915/1150	920/1140	895/1115	920/1130	1000/1190
Permitted traineriods, braked, ispan	Permitted roof load	kg	75	75	75	75	75	75	75	75
max 129 gradient? ko izou (1400 isou isou izou	Permitted trailer load, unbraked ²	kg	670	680	720	720	730	720	720	750
max 8 (spandiente) No No <td></td> <td>kg</td> <td>1200 [1400]</td> <td>1400[1500]</td> <td>1600</td> <td>1600</td> <td>1700</td> <td>1600</td> <td>1600</td> <td>1800</td>		kg	1200 [1400]	1400[1500]	1600	1600	1700	1600	1600	1800
Engine³ 316i 318i 320i 325i 330i 318d 320d 330i Cylinders/valves 4/4 4/4 6/4 6/4 6/4 4/4 4/4 6/4 5/4 6/4 6/4 4/4 4/4 6/4 5/2		kg	1600	1600	1700	1700	1800	1600	1800	1800
Cyndredsrvalves Af4 Af4 Af4 Bf4	Permitted towbar download	kg	75	75	75	75	75	75	75	75
Cyndredsrvalves Af4 Af4 Af4 Bf4										
Capacity co 176 195 2171 2494 2979 1951 1955 222 Stroke/bore mm 61//44.0 90.0/84.0 72.0/80.0 75.0/84.0 89.6/84.0 80.0/84.0 80	Engine ³		316i	318i	320i	325i	330i	318d	320d	330d
Number	Cylinders/valves		4/4	4/4	6/4	6/4	6/4	4/4	4/4	6/4
Max output MW bh/pm Sh115500 105/143000 121/102000 141/192000 170/121/000 151/14000 110/150400 151/14000 Max torque Mm/h- f/rm 170/129/3750 200/147/3750 210/155/360 240/181/3600 200/217/360<	Capacity	сс	1796	1995	2171	2494	2979	1951	1995	2926
Max forque Mm/b Hr/m 17/129/379 20/147/379 210/155/30 24/14700 300/21/300	Stroke/bore	mm	81.0/84.0	90.0/84.0	72.0/80.0	75.0/84.0	89.6/84.0	88.0/84.0	90.0/84.0	88.0/84.0
Compression ratio 1 1.6.1 1.0.2 1.0.4 1.0.5 1.0.4 1.0.5 1.0.4 1.0.5 <th1.0.5< th=""> 1.0.5 <th1.0.5< th=""></th1.0.5<></th1.0.5<>	Max output	kW/bhp/rpm	85/115/5500	105/143/6000	125/170/6100	141/192/6000	170/231/5900	85/115/4000	110/150/4000	135/184/4000
Tansmission J16i J18i 320i 325i 330i 318d 320d 5.91/2.00 Standard transmission ratios ////11 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.23/2.52 4.21/2.49 5.09/2.80 5.09/2.80 5.24/2.92 Standard transmission ratios ////11 166/1.22 166/1.22 166/1.22 166/1.22 166/1.22 166/1.22 160/1.24 100/4.71 100/4.71 100/4.72 Final drive ratio .11 100/4.04 109/4.04 100/4.04 100/4.04 100/4.05 100/4.71 100/4.71 100/4.72 Final drive ratio .11 0.3813.73 3.838.345 3.838.33 315.23 2.93 (3.83 2.47 2.55 (2.37) 2.55 (2.37) Final drive ratio .11 0.014.01 1.21 2.61 2.01 2.41 2.47 2.93 (3.83 2.07 2.12 2.51 (2.27) Top speed kith optional all-wheel drive km/h 2.01 (2.12) 2.61 (2.12) 2.61 (2.12) 2.61	Max torque	Nm/lb-ft/rpm	175/129/3750	200/147/3750	210/155/3500	245/181/3500	300/221/3500	265/195/1750	330/243/2000	390/287/1750
Standard transmission ratios I/II 4.29/2.52 4.29/2.52 4.29/2.52 4.21/2.49 5.09/2.80 5.09/2.80 5.24/2.92 III/IV 166/1.22 160/1.22 160/1.2	Compression ratio	:1	10.5	10.2	10.8	10.5	10.2	19.0	17.0	18.0
Standard transmission ratios I/II 4.29/2.52 4.29/2.52 4.29/2.52 4.21/2.49 5.09/2.80 5.09/2.80 5.24/2.92 III/V 166/1.22 166/1.23 160/1.23 100/4.72 100/4.72 120/4.72										
III/V11 166/122 100/4.04	Transmission		316i	318i	320i	325i	330i	318d	320d	330d
V/R:1 100/4.04 1.09/4.04 1.00/4.04 1.00/4.04 1.00/4.04 1.00/4.05 1.00/4.71 1.00/4.71 Final drive ratio :1 3.38 (3.3) 3.38 (3.3) 3.38 (3.3) 3.58 (3.3) 3.58 (3.3) 3.07 (3.1) 2.47 2.35 (3.3) 2.48 (2.3) Final drive ratio with optional all-wheel drive :1 $ -$	Standard transmission ratios	I/II :1	4.23/2.52	4.23/2.52	4.23/2.52	4.23/2.52	4.21/2.49	5.09/2.80	5.09/2.80	5.24/2.92
Final drive ratio :1 3.83 (3.7) 3.83 (3.4) 3.83 (3.5) 3.15 (3.2) 2.93 (3.8) 2.47 2.85 (2.8) Final drive ratio with optional all-wheel drive :1 - - - 3.23 (3.2) 3.07 (3.5) - - 2.85 (2.8) Performance Image: strain optimized drive Strain Stra		III/IV:1	1.66/1.22	1.66/1.22	1.66/1.22	1.66/1.22	1.66/1.24	1.76/1.25	1.76/1.25	1.82/1.27
Final drive ratio with optional all-wheel drive :1 - - - 3.23 [3.23] 3.07 [315] - - 2.35 [2.93] Performance 316i 318i 320i 325i 330i 318d 320d 330d Top speed km/h 200 [194] 213 [209] 224 [221] 237 [234] 250 ⁵ [243] 200 211 [208] 225 [225] Top speed with optional all-wheel drive km/h - - - 2.31 [228] 243 [238] - - 2.21 [221] Acceleration 0-100 km/h with optional all-wheel drive sec 11.2 [12.2] 9.6 [10.5] 8.4 [9.5] 7.4 [8.5] 6.7 [7.2] 11.1 9.3 [9.5] 79 [8.3] Acceleration 0-100 km/h with optional all-wheel drive as charamission sec 11.7 9.8 9.0 8.1 7.3 9.8 79 72 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec 11.7 9.8 9.0 8.1 73 9.8 79 72 Hele consumption ^{3.4} sec 11.7 9.8 320i 325i 330i <t< td=""><td></td><td>V/R :1</td><td>1.00/4.04</td><td>1.09/4.04</td><td>1.00/4.04</td><td>1.00/4.04</td><td>1.00/3.85</td><td>1.00/4.71</td><td>1.00/4.71</td><td>1.00/4.72</td></t<>		V/R :1	1.00/4.04	1.09/4.04	1.00/4.04	1.00/4.04	1.00/3.85	1.00/4.71	1.00/4.71	1.00/4.72
Performance 316i 318i 320i 325i 330i 318d 320d 330d Top speed km/h 200 [194] 213 [209] 224 [221] 237 [234] 250 ⁵ [243] 200 211 [208] 225 [225] Top speed with optional all-wheel drive km/h - - 231 [228] 243 [238] - - 221 [221] Acceleration 0-100 km/h with optional all-wheel drive sec 11.2 [12.2] 9.6 [10.5] 8.4 [9.5] 7.4 [8.5] 6.7 [7.2] 11.1 9.3 [9.5] 79 [8.3] Acceleration 0-100 km/h with optional all-wheel drive sec - - - 76 [8.7] 6.8 [7.6] - - 8.7 [8.9] Acceleration 80-120 km/h in 4th gear with optional sec 11.7 9.8 9.0 8.1 7.3 9.8 79 72 Acceleration 80-120 km/h in 4th gear with optional sec 11.7 9.8 9.0 8.1 7.3 9.8 79 72 Acceleration 80-120 km/h in 4th gear with optional sec - - - 8.5 74 - - 76 <t< td=""><td>Final drive ratio</td><td>:1</td><td>3.38 [3.73]</td><td>3.38 [3.45]</td><td>3.38 [3.38]</td><td>3.15 [3.23]</td><td>2.93 [3.38]</td><td>2.47</td><td>2.35 [3.07]</td><td>2.28 [2.81]</td></t<>	Final drive ratio	:1	3.38 [3.73]	3.38 [3.45]	3.38 [3.38]	3.15 [3.23]	2.93 [3.38]	2.47	2.35 [3.07]	2.28 [2.81]
Top speed km/h 200 [194] 213 [209] 224 [221] 237 [234] 250 ⁵ [243] 200 211 [220] 225 [221] Top speed with optional all-wheel drive km/h - - - 231 [223] 243 [238] - - 221 [221] Acceleration 0-100 km/h sec 121 [22] 9.610.5 8.4[9.5] 74 [8.5] 6.7[7.2] 111 9.3 [9.5] 78 [8.3] Acceleration 0-100 km/h with optional all-wheel sec - - - 76 [8.7] 6.8[7.6] - - 8.7 [8.3] Acceleration 80-120 km/h in 4th gear with optional sec 1.7 9.8 9.0 8.1 7.3 9.8 7.2 7.6 Acceleration 80-120 km/h in 4th gear with optional sec 1.4 - - - 6.5 7.4 - - 7.6 Acceleration 80-120 km/h in 4th gear with optional sec 1.4 2.1 2.5 1.5 7.4 7.4 7.5 7.6 7.6 Macheel drive and standard transmission sec sec sec sec sec 7.5 7.6	Final drive ratio with optional all-wheel drive	:1	-	-	-	3.23 [3.23]	3.07 [3.15]	-	-	2.35 [2.93]
Top speed km/h 200 [194] 213 [209] 224 [221] 237 [234] 250 ⁵ [243] 200 211 [220] 225 [221] Top speed with optional all-wheel drive km/h - - - 231 [223] 243 [238] - - 221 [221] Acceleration 0-100 km/h sec 121 [22] 9.610.5 8.4[9.5] 74 [8.5] 6.7[7.2] 111 9.3 [9.5] 78 [8.3] Acceleration 0-100 km/h with optional all-wheel sec - - - 76 [8.7] 6.8[7.6] - - 8.7 [8.3] Acceleration 80-120 km/h in 4th gear with optional sec 1.7 9.8 9.0 8.1 7.3 9.8 7.2 7.6 Acceleration 80-120 km/h in 4th gear with optional sec 1.4 - - - 6.5 7.4 - - 7.6 Acceleration 80-120 km/h in 4th gear with optional sec 1.4 2.1 2.5 1.5 7.4 7.4 7.5 7.6 7.6 Macheel drive and standard transmission sec sec sec sec sec 7.5 7.6										
Top speed with optional all-wheel drive km/h - - - 231 [228] 243 [238] - - 221 [221] Acceleration 0-100 km/h sec 11.2 [12.2] 9.6 [10.5] 8.4 [9.5] 7.4 [8.5] 6.7 [7.2] 11.1 9.3 [9.5] 7.9 [8.3] Acceleration 0-100 km/h with optional all-wheel drive sec - - - 7.6 8.7 6.8 [7.6] - - 8.7 [8.9] Acceleration 80-120 km/h in 4th gear (with optional all-wheel drive and standard transmission) sec 11.7 9.8 9.0 8.1 7.3 9.8 7.9 7.2 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 7.6 7.4 - - - 7.6 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 7.6 7.4 - - - 7.6 Fuel consumption3.4 sec - - - - 8.5 7.4 - - 7.6 7.6 Urban with	Performance		316i	318i	320i	325i	330i	318d	320d	330d
Acceleration 0 -100 km/h sec 11.2 [12.2] 9.6 [10.5] 8.4 [9.5] 74 [8.5] 6.7 [7.2] 11.1 9.3 [9.5] 79 [8.3] Acceleration 0 -100 km/h with optional all-wheel twe sec - - - 76 [8.7] 6.8 [7.6] - - 8.7 [8.9] Acceleration 80-120 km/h in 4th gear with optional all-wheel trive and standard transmission sec - - - 73 9.8 79 72 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 74 8.5 7.4 - - 8.7 [8.9] Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 7.6 7.6 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 7.6 7.6 Macceleration 80-120 km/h in 4th gear with optional all-wheel drive sec - - - 8.5 7.4 - - 7.6 Value Acceleration 80-120 km/h in 4th gear with optional all-wheel drive sec sec	Top speed	km/h	200 [194]	213 [209]	224 [221]	237 [234]	2505 [243]	200	211 [208]	225 [225]
Acceleration 0 - 100 km/h with optional all-wheel trive sec - - - 76 [8.7] 6.8 [7.6] - - 8.7 [8.9] Acceleration 80 - 120 km/h in 4th gear (with standard transmission) sec 11.7 9.8 9.0 8.1 7.3 9.8 7.9 7.2 Acceleration 80 - 120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - 8.5 7.4 - - - 7.6 Acceleration 80 - 120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 8.5 7.4 - - - 7.6 Macceleration 80 - 120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - - 8.5 7.4 - - - 7.6 With standard transmission sec - - - - 8.5 7.4 - - 7.6 With standard transmission sec 316i 318i 320i 325i 330i 318d 320d 330d Urban ltr/100 km	Top speed with optional all-wheel drive	km/h	-	-	-	231 [228]	243 [238]	-	-	221 [221]
Acceleration 80-120 km/h in 4th gear sec 11.7 9.8 9.0 8.1 7.3 9.8 7.9 7.2 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec all all 9.8 7.3 9.8 7.9 7.2 Acceleration 80-120 km/h in 4th gear with optional all-wheel drive and standard transmission sec all all 8.5 7.4 all all all all bit 7.8 all all <t< td=""><td>Acceleration 0–100 km/h</td><td>sec</td><td>11.2 [12.2]</td><td>9.6 [10.5]</td><td>8.4 [9.5]</td><td>7.4 [8.5]</td><td>6.7 [7.2]</td><td>11.1</td><td>9.3 [9.5]</td><td>7.9 [8.3]</td></t<>	Acceleration 0–100 km/h	sec	11.2 [12.2]	9.6 [10.5]	8.4 [9.5]	7.4 [8.5]	6.7 [7.2]	11.1	9.3 [9.5]	7.9 [8.3]
(with standard transmission) sec 11.7 9.8 9.0 8.1 7.3 9.8 7.9 7.2 Acceleration 80–120 km/h in 4th gear with optional all-wheel drive and standard transmission sec - - - 8.5 7.4 - - - 7.6 Fuel consumption ^{3,4} sec 316i 318i 320i 325i 330i 318d 320d 330d Urban ltr/100 km 10.3 [10.9] 10.4 [11.4] 12.5 [13.3] 12.9 [13.6] 12.9 [14.2] 7.5 7.8 [9.9] 9.6 [11.3] Urban with optional all-wheel drive ltr/100 km - - - - 13.4 [14.6] 13.5 [15.0] - - 10.3 [12.2] Extra-urban ltr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]	Acceleration 0-100 km/h with optional all-wheel	l drive sec	-	-	-	7.6 [8.7]	6.8 [7.6]	-	-	8.7 [8.9]
all-wheel drive and standard transmission see - - - - 0.5 7.4 - - - 7.6 Fuel consumption3.4 316i 318i 320i 325i 330i 318d 320d 330d Urban Itr/100 km 10.3 [10.9] 10.4 [11.4] 12.5 [13.3] 12.9 [13.6] 12.9 [14.2] 7.5 7.8 [9.9] 9.6 [11.3] Urban with optional all-wheel drive Itr/100 km - - - 13.4 [14.6] 13.5 [15.0] - - 10.3 [12.2] Extra-urban Itr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]		sec	11.7	9.8	9.0	8.1	7.3	9.8	7.9	7.2
Urban Itr/100 km 10.3 [10.9] 10.4 [11.4] 12.5 [13.3] 12.9 [13.6] 12.9 [14.2] 7.5 7.8 [9.9] 9.6 [11.3] Urban with optional all-wheel drive Itr/100 km - - - 13.4 [14.6] 13.5 [15.0] - - 10.3 [12.2] Extra-urban Itr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]		nal sec	-	-	-	8.5	7.4	-	-	- 7.6
Urban Itr/100 km 10.3 [10.9] 10.4 [11.4] 12.5 [13.3] 12.9 [13.6] 12.9 [14.2] 7.5 7.8 [9.9] 9.6 [11.3] Urban with optional all-wheel drive Itr/100 km - - - 13.4 [14.6] 13.5 [15.0] - - 10.3 [12.2] Extra-urban Itr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]										
Urban with optional all-wheel drive Itr/100 km - - 13.4 [14.6] 13.5 [15.0] - - 10.3 [12.2] Extra-urban Itr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]	Fuel consumption ^{3, 4}		316i	318i	320i	325i	330i	318d	320d	330d
Extra-urban ltr/100 km 5.6 [6.5] 5.7 [6.4] 6.9 [7.4] 7.1 [7.4] 7.1 [7.2] 4.9 4.5 [5.5] 5.5 [6.3]	Urban	ltr/100 km	10.3 [10.9]	10.4 [11.4]	12.5 [13.3]	12.9 [13.6]	12.9 [14.2]	7.5	7.8 [9.9]	9.6 [11.3]
	Urban with optional all-wheel drive	ltr/100 km	-	-	-	13.4 [14.6]	13.5 [15.0]	-	-	10.3 [12.2]
Extra-urban with optional all-wheel drive ltr/100 km – – – 7.7 [8.3] 7.6 [8.0] – – 6.3 [7.0]										
	Extra-urban	ltr/100 km	5.6 [6.5]	5.7 [6.4]	6.9 [7.4]	7.1 [7.4]	7.1 [7.2]	4.9	4.5 [5.5]	5.5 [6.3]

Fuel consumption ^{3,4}		316i	318i	320i	325i	330i	318d	320d	330d
Composite	ltr/100 km	7.3 [8.1]	7.4 [8.2]	9.0 [9.6]	9.2 [9.7]	9.3 [9.8]	5.8	5.7 [7.1]	7.0 [8.1]
Composite with optional all-wheel drive	ltr/100 km	-	-	-	9.8 [10.6]	9.8 [10.6]	-	-	7.8 [8.9]
CO ₂ emissions	g/km	177 [196]	179 [199]	216 [230]	221 [232]	222 [235]	155	153 [190]	186 [216]
$\ensuremath{\text{CO}_2}\xspace$ emissions with optional all-wheel drive	g/km	-	-	-	236 [254]	234 [253]	-	-	207 [236]
Tank capacity, approx	ltr	63	63	63	63	63	63	63	63
Wheels		316i	318i	320i	325i	330i	318d	320d	330d
Tyre dimensions		195/65 R 15 H	205/55 R 16V	205/55 R 16V	205/55 R 16 W	225/45 R 17 W	195/65R 15 H	205/55 R 16V	225/45 R 17 W
Wheel dimensions		6.5 J x 15	7 J x 16	7 J x 16	7 J x 16	8 J x 17	6.5 J X 15	7 J x 16	8 J x 17
Material		Light alloy	Light alloy	Light alloy	Light alloy	Light alloy	Light alloy	Light alloy	Light alloy
Electrical system		316i	318i	320i	325i	330i	318d	320d	330d
Battery capacity	Ah	55	55	70	70	70	80	80	95
Alternator output	А	120	120	90 [120]	90 [120]	90 [120]	150	150	150
	w	1680	1680	1260 [1680]	1260 [1680]	1260 [1680]	2100	2100	2100









All dimensions in millimetres. Figures in () apply to the 318i, 320i, 325i, 330i and 330d, figures in [] are for all-wheel drive. Luggage compartment capacity 435–1345 litres (15.2–47.1 cu ft). (to VDA standard).

- The figure quoted includes a 90 per cent tank filling, 68 kg for the driverand 7 kg for luggage. Unladen weight applies to vehicles in standard trim. Special equipment may increase this figure.
 All six-cylinder petrol engines in the BMW 3 Series comply with the EU4/3/D4 standard, and the dises lengines in the 318d, 320d and 330d fulfill the EU3 standard. Fuel
- 2 The overall weight of the trailer may not exceed the maximum permissible trailer load plus the maximum permissible towbar download.
- 3 The four-cylinder petrol engines in the 316i and 318i are designed for RON 95 fuel, the six-cylinder engines for RON 93. The engines may be run on fuel grades down to RON 91 with a decrease in power and an increase in fuel consumption.

4 All six-cylinder petrol engines in the BMW 3 Series comply with the EU3/D4 standard, the four-cylinder petrol engines meet the EU4 standard, and the diesel engines in the 318d, 320d and 330d fulfill the EU3 standard. Fuel consumption is determined in accordance with the ECE driving cycle made up of approximately one-third urban traffic and two-thirds overland driving (measured in terms of mileage covered). CO₂ emissions are measured in addition to fuel consumption.

Figures in [] apply to vehicles with five-speed EH automatic.